

## The Camera Mount

- Position your camera anywhere
- Vibration damped
- Within seconds



# Stay *FOCUSED*






**RUN fx A NEW AND VERSATILE CHOICE FOR FILMMAKERS AND ENTHUSIASTS!**




- RUN fx supports all GoPros and a lot of other cameras
- RUN fx vibration damped – soft and standard suspension
- RUN fx is extremely lightweight and flexible
- RUN fx is the most versatile option in any kind of camera setup and video production
- RUN fx is adaptable to any kind of moving or static platform or carrier
- RUN fx utilizes most advanced materials, aluminium alloys and reinforced rubber buffer

supports all housings




HERO 2



HERO 3




HERO 3+




HERO 4






# Stay FOCUSED



Width: 96mm  
Height: 96mm  
Depth: 40mm  
Cage Weight: 110g

vibration-damping element



RUN fx is shock-proof like a tripod, but by far more flexible in handling and operation

RUN fx is resistant to severe environmental impact (temperature, vibration etc.)

RUN fx keeps the camera positioning accurate, even under extreme situations

RUN fx is the quickest and easiest adaptable system when the setup situation changes

RUN fx features six degree of freedom mounting with 360 degree

RUN fx does not require modification to the carrier or platform



## Easy handling


[contact@run-fx.com](mailto:contact@run-fx.com)



# Stay FOCUSED




- Utilized Materials: all corrosion free and torsion, temperature and shock resistant
- Lighting and microphone mounting accessories
- Compatible to add-on accessories
- Accepts shoe-mounted accessories
- Access to all switches, push buttons, controls and card slots
- Useable for transparent and secure camera housing, securing maximum protection
- Useable with underwater camera housing





# RUN fX – Standard Kit



## Standard



- RUN fX – Cage
- Standard Suspension
- Soft Suspension
- Tools included
- Box




BOX

length: 240 mm  
width: 210 mm  
height: 65 mm



[contact@run-fx.com](mailto:contact@run-fx.com)



# RUN fx – Advanced Kit



- RUN fx – Standard Package
- Soft Suspension
- Adapter
- Clamp small (max. 40mm)
- Flex Arm 7" – stainless steel
- Punched Plate
- Ball Mount
- Anti Scratch Rubber
- Tools included
- Box




length: 240 mm  
width: 210 mm  
height: 65 mm

BOX





# RUN fx – Professional Kit



# Professional



length: 300 mm  
width: 260 mm  
height: 75 mm

BOX



RUN fx – Standard Package

Soft Suspension

Adapter

Clamp small (max. 40mm)

Clamp big (max. 62mm)

Flex Arm 7" – stainless steel

Flex Arm 11" – stainless steel

Punched Plate

Ball Mount

Anti Scratch Rubber

Hot shoe mount adapter DSLR

1/4" DSLR protection adapter

Tools included

Box

[contact@run-fx.com](mailto:contact@run-fx.com)



# RUN fx – Examples



Kawasaki shooting: Ninja ZX 10R with Superbike World Champion Jonathan Rea;  
RUN fx mounted on rear mirror



RUN fx mounted at the front of a sledge




RUN fx mounted at the front of a Quad



RUN fx mounted on the rear mirror of Kawasaki Ninja





RUN fx mounted on the footrest of a Harley Davidson V-Rod



RUN fx chainsaw vibration test



RUN fx mounted at the cockpit of BMW M3 -24h Nürburgring



RUN fx mounted at the rear end of Kawasaki ZX 10R






BMW GS adventure tour South Africa - RUN fx mounted at steering wheel



RUN fx mounted on a boogie board



BMW GS adventure tour South Africa - RUN fx mounted at steering wheel



There is always a place to fix RUN fx





Fun on a Jet Ski - RUN fx mounted at the steering wheel




RUN fx mounted at the frame of a race bike



RUN fx mounted at the Kawasaki Ninja front suspension



RUN fx at a BMW GS steering wheel in South Africa







camera positioning accurate, even under extreme situations



extremely lightweight and flexible



vCard

IDEA VISION GmbH  
Anzengruberstr. 16  
83059 Kolbermoor  
D-Germany

**IDEA**  
**VISION**  
GmbH

Phone: +49 (0)8031 9085795  
eMail: [contact@idea-vision.de](mailto:contact@idea-vision.de)

[www.run-fx.com](http://www.run-fx.com)